


AD659160

## STANDARD ATMOSPHERIC SUPPLEMENTS, 1966

R. A. MINZER



---

FINAL REPORT - 65-65722  
PERIOD COVERED: 1 JULY 1966 THROUGH 31 MARCH 1967  
CONTRACT NO. AF19(628)-6085  
PROJECT NO. 5710

---

Contract Monitor  
Frank A. Marcos  
Upper Atmosphere Physics Laboratory

Prepared for  
AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS

Distribution of this document is unlimited. It may be released to the Clearinghouse, Department of Commerce, for sale to the general public.

July 1967

This research was sponsored by the Defense Atomic Support Agency  
Washington, D.C.

30

AFCRL-67-0444

GCA-TR-67-8-A

STANDARD ATMOSPHERIC SUPPLEMENTS, 1966

R.A. Minzner

GCA CORPORATION  
GCA TECHNOLOGY DIVISION  
Bedford, Massachusetts

Contract No. AF19(628)-6085

Project No. 5710

FINAL REPORT

July 1967

Contract Monitor  
Frank A. Marcos  
Upper Atmosphere Physics Laboratory

---

Distribution of this document is unlimited. It may be released to the  
Clearinghouse, Department of Commerce, for sale to the general public.

Prepared for

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS

This research was sponsored by the Defense Atomic Support Agency  
Washington, D.C.

**PREFACE**

This Final Report is submitted in fulfillment of Contract No.  
AF19(628)-6085 monitored for AFCRL by Mr. Frank Marcos.

# ABSTRACT

Tables of the U.S. Standard Atmosphere 1962 were computed and tabulated up to only 90 km as functions of integer kilometer values of both geometric and geopotential altitudes. The geopotential tables have now been extended to 120 km altitude. This extension involved the development of an empirical function relating geopotential to geometric altitude. A discussion of this function along with limited geopotential tables was prepared for the U.S. Standard Atmosphere Supplements 1966. This function has also been used to prepare more extensive tables relating geopotential to geometric altitude and vice versa up to 10,000 km for latitudes from 0 to 90 degrees. In addition, a computer method was developed for automatically generating multilayer atmospheric models which rigorously fit arbitrary upper and lower boundary conditions.

## SECTION I

### INTRODUCTION

Contract AF19(628)-6085 dealt with work performed in the fulfillment of the following five items of the Work Statement:

Item 1 - Develop, and program for computer, a method of generating temperature-density vs. altitude profiles which match temperature and density boundary conditions at two altitudes for the case in which the two altitude boundaries encompass a number of atmospheric layers characterized by an isothermal layer at the bottom, and monotonically increasing values of temperature gradient in the successively higher layers.

Item 2 - Expand the existing "U.S. Standard Atmosphere, 1962" by extending tables of the properties as a function of integral multiples of geopotential kilometers in the altitude region 90-120 geometric kilometers.

Item 3 - Develop a simplified function for relating geopotential and geometric altitude which would be in substantial agreement with the relationship used in the standard atmosphere while not having its complexity.

Item 4 - Prepare tables relating geometric altitudes at various latitudes through their equivalent values of geopotential.

Item 5 - Prepare text, graphs, and tables, which may be used in the "U.S. Supplemental Atmospheres, 1966."

While the five items of the Work Statement all fall within the general field of atmospheric models, each item posed a separate specific problem. Each work unit was performed independently and the results of each investigation were reported in a Scientific Report when that unit was completed. Consequently there remains no portion of the overall investigation which has not already been thoroughly reported.

The results of the investigation performed under items 2 and 3 were reported simultaneously in Scientific Report 2 (Ref. 1). The results of each of the remaining three investigations were reported in three separate Scientific Reports (Ref. 2,3,4).

The results of the investigations were reported almost in inverse order to the work-statement number as shown in the following table.

Work Statement Item	Corresponding Scientific Report Number
1	4
2&3	3
5	2
4	1

Because of the extensive tables in each of the Scientific Reports, no attempt has been made to present abridged versions of these reports as chapters in this final report. Rather, the remainder of this report consists of a reproduction of the Title Page, the Preface (Report 1 did not have a Preface), the Abstract, the Table of Contents, and the References of each of the four Scientific Reports. These are presented sequentially according to Scientific Report number. These reproduced portions provide in essence a summary of the work reported and also indicate its scope.

#### References

1. Minzner, R. A., "Extension Tables for the U. S. Standard Atmosphere," 1962, With special attention to the calculation of geopotential, GCA-TR-67-1-A, AFCRL-67-0335, Scientific Report 3 on contract AF19(628)-6085, January 1963.
2. Minzner, R. A., "Geopotential Versus Geometric Altitude from 0 to 10,000 Kilometers for Various Latitudes," GCA-TR-66-10A, AFCRL-66-786, Scientific Report #1 on contract AF19(628)-6085, October 1966.
3. Minzner, R. A., "Geopotential-Geometric Altitude Relations," GCA-TR-66-12-A, AFCRL-66-787, Scientific Report #2 on contract AF19(628)-6085, October 1966.
4. Minzner, R. A., "A Method for Fitting Linearly Segmented Multi-layer Atmospheric Models to an Arbitrary Set of Upper and Lower Boundary Conditions," GCA-TR-67-6-A, AFCRL-67-0198, Scientific Report #4 on contract AF19(628)-6085, March 1967.

AFCRL-66-786

GCA Technical Report No. 66-10-A

Distribution of this document  
is unlimited.

GEOPOTENTIAL VERSUS GEOMETRIC ALTITUDE  
FROM 0 TO 10,000 KILOMETERS FOR VARIOUS LATITUDES

R. A. Minzner

GCA CORPORATION  
GCA TECHNOLOGY DIVISION  
Bedford, Massachusetts

SCIENTIFIC REPORT NO. 1

Contract No. AF19(628)-6085

Project No. 5710

October 1966

This research was sponsored by the Defense Atomic Support Agency,  
Washington, D. C.

Prepared for

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS 01730



# ABSTRACT

Simple analytical relationships between geopotential  $H_\phi$  and geometric altitude  $Z_\phi$  for various latitudes  $\phi$  are presented with the required constants for relating  $H_\phi$  to  $Z$ , and  $Z_\phi$  to  $H$  at each of eight latitudes  $0^\circ$ ,  $15^\circ$ ,  $30^\circ$ ,  $45^\circ$ ,  $60^\circ$ ,  $75^\circ$ ,  $90^\circ$ , and at the reference latitude  $R$  equal to  $45^\circ 32'33''$  which latitude corresponds to the standard sea-level gravity,  $9.80665 \text{ m sec}^{-2}$ . Values of  $H_R(Z)$  were computed for geometric altitudes between 0 and 10,000 km; values of  $Z_R(H)$  were computed for the equivalent range of geopotentials, between 0 and 3900 standard geopotential kilometers ( $\text{km}'$ ). Computed values of  $Z_\phi$  and  $H_\phi$  for the other latitudes are presented as differences  $(Z_\phi - Z_R)$  and  $(H_\phi - H_R)$  as functions of both argument pairs  $H_R(Z)$  and  $Z_R(H)$ , thereby leading to four sets of tables. Values of  $H_R(Z)$  and  $Z_R(H)$  are compared with the corresponding values from the U. S. Standard Atmosphere  $H_S(Z)$  and  $Z_S(H)$ . These comparisons show the difference  $(H_S - H_R)$  to be -33 meters at  $Z_R = 700 \text{ km}$ , while the difference  $(Z_S - Z_R)$  is shown to be 55 meters at the corresponding value of  $H_R = 630 \text{ km}'$ .

# TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
I	INTRODUCTION	1
II	DEFINITIONS AND METHOD OF CALCULATION	3
III	GENERAL DESCRIPTION OF THE TABLES	9
IV	SPECIFIC DESCRIPTION OF THE TABLES 1A AND 1B	11
V	SPECIFIC DESCRIPTION OF TABLES 2A AND 2B	27
VI	SPECIFIC DESCRIPTION OF TABLES 3A AND 3B	45
VII	SPECIFIC DESCRIPTION OF TABLES 4A AND 4B	63
VIII	UNCERTAINTY CONSIDERATIONS	79
	REFERENCES	81
APPENDIX A:	VALUES OF $r_g$ AND $g_g$ EMPLOYED IN THE CALCULATION OF GEOPOTENTIAL AT VARIOUS LATITUDES	83
APPENDIX B:	PROGRAM FOR TABLE 2	85
APPENDIX C:	PROGRAM FOR TABLE 4	87

## REFERENCES

1. ICAO (International Civil Aviation Organization), 1954  
The ICAO Standard Atmosphere - Calculations by NASA  
NACA Tech Note 3182, Langley Aeronautical Lab. Langley Field, Va.
2. Minzner, R.A. and Ripley, W.S., Dec. 1956  
The ARDC Model Atmosphere, 1956  
Air Force Surveys in Geophysics No. 86, AFCRC IN-56-204.
3. Minzner, R.A., Ripley, W.S. and Condron, T.P., 1958  
United States Extension to the ICAO Standard Atmosphere  
United States Government Printing Office, Washington, D.C.
4. Minzner, R.A., Champion, K.S.W. and Pond, H.L., 1959  
The ARDC Model Atmosphere, 1959  
Air Force Surveys in Geophysics, No. 115, AFCRC-TR-59-267.
5. United States Standard Atmosphere, 1962.  
National Aeronautics and Space Administration, United States  
Air Force and United States Weather Bureau, Government Printing  
Office, Washington, D.C.
6. Cole, A.E. and Kantor, A.J., Dec 1963  
Air Force Interim Supplemental Atmospheres to 90 Kilometers.  
Air Force Surv. Geophys., 153, AFCRL-63-936.
7. Harrison, L.P., 1951  
Relation Between Geopotential and Geometric Height.  
Unpublished Paper Adapted for Smithsonian Meteorological Tables,  
Sixth Ed., Edited by R.S. List, pp 217-218, Washington, D.C.
8. List, R.S., Editor, 1951  
Smithsonian Meteorological Tables, Sixth Ed.  
Publication 4014, Smithson. Misc. Collec. VII4, Washington, D.C.
9. Jacchia, L.G., Dec. 1964  
Static Diffusion Models of the Upper Atmosphere with Empirical  
Temperature Profiles.  
Smithsonian Inst. Astrophysical Observatory, Special Report 170.
10. Minzner, R.A., 1966  
Standard Atmosphere Supplements, 1966  
GCA Tech Rpt., 66- -A, Final Rpt. Cont. AF19(628)-6085 in Prep.

REFERENCES (continued)

11. Minzner, R.A., 1966  
Studies of Atmospheric Structure and variability of the Earth's  
Atmosphere, GCA Tech. Rpt. 66-14-N, Final Report, Contract NASW-1225.
12. Committee on Extension of the Standard Atmosphere (COESA), 1966  
United States Standard Atmosphere Supplements, 1966.  
Government Printing Office, Washington, D.C. (To be published).

AFCRL-66-787

GCA Technical Report No. 66-12-A

Distribution of this document  
is unlimited.

**GEOPOTENTIAL - GEOMETRIC ALTITUDE RELATIONS**

**R. A. Minsner**

**GCA CORPORATION  
GCA TECHNOLOGY DIVISION  
Bedford, Massachusetts**

**SCIENTIFIC REPORT NO. 2**

**Contract No. AF19(628)-6085**

**Project No. 5710**

**October 1966**

**This research was sponsored by the Defense Atomic Support Agency, Washington, D.C.**

**Prepared for**

**AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS 01730**

## PREFACE

In keeping with the considerable accumulation of atmospheric data above 30 km altitude, since the preparation of the U.S. Standard Atmosphere, 1962, the Committee on Extension to the U.S. Standard Atmosphere, COESA, of which the writer is a member, considered it prudent to prepare "U.S. Standard Atmosphere Supplements, 1966" which, unlike the existing Standard Atmosphere, contains tables of atmospheric properties for various latitudes as a function of geopotential, but with equivalent geometric altitudes only for 45° latitude. To relate these tables to the appropriate geometric altitudes at other latitudes required the preparation of a transformation table. Such a table and appropriate text was prepared by the writer for the inclusion in U. S. Standard Atmosphere Supplements, 1966. This technical report contains the transformation table and text for use in anticipation of the Government Printing Office Publication of the larger document. The numbering paragraphs, tables and figures follows that of the larger document.

• The writer prepared the text and tables at the request of COESA, and made the preliminary investigations and ground-work study under the sponsorship of Contract NASw-1225. The final versions of table and text are presented here in fulfillment of the requirements of Item 5 of Contract AF19(628)-6085.

# **ABSTRACT**

The influence of the acceleration of gravity on atmospheric properties varies with latitude and with altitude as the acceleration of gravity similarly varies with these parameters. One method for normalizing the variation of atmospheric properties with respect to the variation of the acceleration of gravity is to express the values of the atmospheric properties as a function of geopotential. The relationships between geopotential and geometric altitude are then used to apply the atmospheric data to the proper altitudes at any particular latitude. Tables of such relationships for altitudes from 0 to 1000 km for latitudes from 0 to 90 degrees are presented.

## TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
	ABSTRACT	11
	INTRODUCTION	1
	DEFINITION AND METHOD OF CALCULATION	1
	DESCRIPTION OF GEOPOTENTIAL TABLE	4
	GEOPOTENTIAL TABLE	6



## REFERENCES

- HARRISON, L.P. 1951.  
RELATION BETWEEN GEOPOTENTIAL AND GEOMETRIC HEIGHT.  
UNPUBLISHED PAPER ADAPTED FOR SMITHSONIAN METEOROLOGICAL TABLES,  
SIXTH ED., EDITED BY R.S.LIST, PP 217-218, WASHINGTON D.C.
- LIST, R.S., EDITOR, 1951.  
SMITHSONIAN METEOROLOGICAL TABLES, SIXTH ED.  
PUBLICATION 4014, SMITHSON. MISC. COLLEC. V114, WASHINGTON, D.C.
- MINZNER, R.A. AND RIPLEY, W.S. DEC. 1956.  
THE ARDC MODEL ATMOSPHERE 1956.  
AIR FORCE SURVEYS IN GEOPHYSICS NO. 86, AFCRC TN-56-204.
- MINZNER, R.A. RIPLEY, W.S. AND CONDRON, T.P. 1958.  
U.S. EXTENSION TO THE ICAO STANDARD ATMOSPHERE.  
U.S. GOVERNMENT PRINTING OFFICE, WASHINGTON, D.C.
- MINZNER, R.A. CHAMPION, K.S.W. AND POND, H.L. 1959.  
THE ARDC MODEL ATMOSPHERE 1959.  
AIR FORCE SURVEYS IN GEOPHYSICS, NO 115, AFCRC-TR-59-267.
- MINZNER, R.A. 1966a.  
STUDIES OF ATMOSPHERIC STRUCTURE AND VARIABILITY OF THE  
EARTH'S ATMOSPHERE.  
GCA TECH. RPT. 66-14-N, FINAL REPORT, CONTRACT NASW-1225.
- MINZNER, R.A. AND MELLO, S.M. 1966.  
GEOPOTENTIAL VERSUS GEOMETRIC ALTITUDE FROM 0 TO 10,000  
KILOMETERS FOR VARIOUS LATITUDES.  
GCA TECH. RPT. 66-10-A, CONTRACT NO AF 19(628)-6085
- MINZNER, R.A. 1966b.  
STANDARD ATMOSPHERE SUPPLIMENTS 1966.  
GCA TECH RPT. 66- -A, FINAL RPT. CONT. AF19(628)-6085 IN PREP.
- UNITED STATES STANDARD ATMOSPHERE, 1962.  
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, U.S. AIR FORCE AND  
U.S. WEATHER BUREAU.  
GOVERNMENT PRINTING OFFICE, WASHINGTON D.C.

EXTENSION TABLES FOR THE U.S. STANDARD ATMOSPHERE, 1962,  
WITH SPECIAL ATTENTION TO THE CALCULATION OF GEOPOTENTIAL

R.A. Minzner

GCA CORPORATION  
GCA TECHNOLOGY DIVISION  
Bedford, Massachusetts

Contract No. AF19(628)-6085

Project No. 5710

Scientific Report No. 3

January 1967

Contract Monitor  
Frank A. Marcos  
Upper Atmosphere Physics Laboratory

Distribution of this document is unlimited. It may be released to the  
Clearinghouse, Department of Commerce, for sale to the general public.

Prepared  
for

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS

This research was sponsored by the Defense Atomic Support Agency  
Washington, D.C.

## **PREFACE**

This report is submitted in fulfillment of items 2 and 3 of Contract AF19(628)-6085 monitored for AFCEC by Frank Marcos. It presents a set of tables consisting of an extension of the U.S. Standard Atmosphere in the altitude region of 90 to 120 km for which region tables had originally been published only as a function of integral multiples of one geometric kilometer. The tables in this report are presented as a function of integral multiples of one standard geopotential kilometer and includes a discussion of the various equations and constants involved.

This report also includes the development of a simplified function for accurately relating geopotential and geometric altitude.

# ABSTRACT

The "United States Standard Atmosphere, 1962", was published with two kinds of metric-unit tables for the altitude interval from -5000 to 90,000 meters. One kind of table presented the atmospheric properties as a function of integral multiples of particular numbers of geopotential meters while the second presented the atmospheric properties as a function of integral multiples of similar numbers of geometric meters. For the region above 90,000 meters, altitude only one type of metric table was published. This type presented atmospheric properties in integral multiples of particular numbers of geometric meters. A similar situation prevailed for the English-unit tables. The need for both metric-unit and English-unit tables as a function of integral multiples of specific numbers of geopotential meters for altitudes above 90 kilometers has prompted a new set of calculations, which required the use of equations not specifically presented in the United States Standard Atmosphere, 1962. The development of these equations is discussed and the value of all constants employed are given. The calculations involve a transformation between geopotential and geometric altitude, and the development of an empirical analytical expression relating these quantities is presented. This empirical function yields results which differ by less than 0.1 meter at 700 km altitude, from those computed in an unspecified manner for the United States Standard Atmosphere, 1962.

# TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
I	PRESSURE AND DENSITY EQUATIONS FOR TEMPERATURE-ALTITUDE PROFILES LINEAR WITH RESPECT TO GEOMETRIC ALTITUDE	1
II	GEOPOTENTIAL TO GEOMETRIC ALTITUDE CONVERSION	7
III	CALCULATION OF THE TABLES	9
APPENDIX A	DEVELOPMENT OF AN EMPIRICAL FUNCTION RELATING THE NUMERICAL VALUES OF GEOPOTENTIAL AND GEOMETRIC ALTITUDE AS PUBLISHED IN THE UNITED STATES STANDARD ATMOSPHERE	13
APPENDIX B	PROGRAM FOR COMPUTING 1962 STANDARD- ATMOSPHERE VALUES OF PRESSURE, TEMPERATURE, TEMPERATURE GRADIENT, AND DENSITY AS A FUNCTION OF INTEGRAL MULTIPLES OF ONE THOUSAND GEOPOTENTIAL METERS, FROM 90,000 TO 120,000 GEOPOTENTIAL METERS, AND AS A FUNCTION OF INTEGRAL MULTIPLES OF 5,000 GEOPOTENTIAL FEET, FROM 295,000 TO 390,000 GEOPOTENTIAL FEET.	35

#### REFERENCES

1. United States Standard Atmosphere, National Aeronautics and Space Administration, U.S. Air Force, and U.S. Weather Bureau, Government Printing Office, Washington, D.C. (1962).
2. Champion, K.S.W., Minzner, R.A., "Revision of United States Standard Atmosphere 90 to 700 km," Rev. of Geophys. 1, 57-84 (1963), also AFCRL-62-802 (1962).
3. Minzner, R.A., Ripley, W.S., "The ARDC Model Atmosphere 1956," Air Force Surveys in Geophysics No. 86, AFCRC TN-56-204, ASTIA Document 110233 (1956).

Distribution of this document  
is unlimited.

**A METHOD FOR FITTING LINEARLY SEGMENTED  
MULTI-LAYER ATMOSPHERIC MODELS TO AN ARBITRARY  
SET OF UPPER AND LOWER BOUNDARY CONDITIONS**

**R. A. Minzner**

**GCA CORPORATION  
GCA TECHNOLOGY DIVISION  
Bedford, Massachusetts**

**SCIENTIFIC REPORT NO. 4**

**Contract No. AF19(628)-6085**

**Project No. 5710**

**March 1967**

**This research was sponsored by the Defense Atomic Support Agency, Washington, D.C.**

**Prepared for**

**AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
OFFICE OF AEROSPACE RESEARCH  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS 01730**

## PREFACE

Atmospheric models are frequently generated for specific regions of the atmosphere in accordance with a particular set of observations. For example, for the region 20 to 90 km or for the region 120 to 100 km altitude. These models are not necessarily extended to sea level, neither are they designed to be continuous with some other existing model at either end of the included range. In some instances it becomes desirable to exactly connect two such models with a transition model atmosphere which for the examples cited would extend between 90 and 120 km. This report discusses a method suitable for generating such transition models.



#### ABSTRACT

Any set of temperature, pressure and density values which are realistic for one altitude can be exactly connected to another set of temperature, pressure and density values at a second altitude, with a model atmosphere defined by the appropriate linearly segmented two-layer temperature-altitude profile provided one of these layers is isothermal and the second is a nonzero constant gradient of temperature with respect to height.

The altitude comprising the intersection of the two segments of the required temperature-altitude profile is determined mathematically. The method for generating two-layer models is applied to the generation of three-layer and four-layer models.

## TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
I	REVIEW AND EXTENSION OF THE METHOD FOR DEVELOPING TWO-LAYER TRANSITION MODELS	1
	1. Definition of the General Two-Layer Transition Models and the Specification of the Particular Class to be Examined	1
	2. Density and Temperature Relationships for the Specified Type of Two-Layer Model	2
	3. Analytical Expression for the Generation of the Two-Layer Models	3
II	GENERATION OF THREE-LAYER MODELS	5
III	GENERATION OF MULTI-LAYER MODELS	11
APPENDIX A	PROGRAM 1	15
	PROGRAM 2	20

#### REFERENCES

Mintner, R. A., 1966: "Studies of Atmospheric Structure and Variability of the Earth's Atmosphere," OCA Technical Report No. 66-14-N, Final Report, Contract No. NAW-1225.

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified		
1. ORIGINATING ACTIVITY (Corporate author) GCA CORPORATION GCA TECHNOLOGY DIVISION Bedford, Massachusetts 01730		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b. GROUP N/A
3. REPORT TITLE STANDARD ATMOSPHERIC SUPPLEMENTS, 1966		
4. DESCRIPTIVE NOTES (Type of report and inclusion dates) Scientific. Final - Period covered 1 July 1966 through 31 March 1967		
5. AUTHOR(S) (Last name, first name, initial) Raymond A. Minzner		
6. REPORT DATE July 1967	7a. TOTAL NO. OF PAGES 30	7b. NO. OF REFS 4
8a. CONTRACT OR GRANT NO. AF19(628)-6085 PROJECT NO. 5710 DOD Element No. 7600801D DOD Subelement No. 68920G	9a. ORIGINATOR'S REPORT NUMBER(S) GCA-TR-67-8-A 9b. OTHER REPORT NUMBER(S) (Any other numbers that may be assigned this report) AFCL-67-0444	
10. AVAILABILITY LIMITATION NOTICES Distribution of this document is unlimited. It may be released to the Clearinghouse, Department of Commerce, for sale to the general public		
11. SUPPLEMENTARY NOTES Defense Atomic Support Agency Washington, D. C.	12. SPONSORING/MONITORING ACTIVITY Air Force Cambridge Research Laboratories (CRU) L.G. Hanscom Field Bedford, Massachusetts 01730	
13. ABSTRACT <p>Tables of the U.S. Standard Atmosphere 1962 were computed and tabulated up to only 90 km as functions of integer kilometer values of both geometric and geopotential altitudes. The geopotential tables have now been extended to 120 km altitude. This extension involved the development of an empirical function relating geopotential to geometric altitude. A discussion of this function along with limited geopotential tables was prepared for the U.S. Standard Atmosphere Supplements 1966. This function has also been used to prepare more extensive tables relating geopotential to geometric altitude and vice versa up to 10,000 km for latitudes from 0 to 90 degrees. In addition, a computer method was developed for automatically generating multilayer atmospheric models which rigorously fit arbitrary upper and lower boundary conditions.</p>		

DD FORM 1473  
1 JAN 66

UNCLASSIFIED  
Security Classification

**UNCLASSIFIED**  
Security Classification

KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
<b>Standard Atmosphere</b> <b>Geopotential Tables (Empirical Function)</b> <b>Program</b> <b>W. A. Joseph</b>						

**INSTRUCTIONS**

**1. ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

**2a. REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

**2b. GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

**3. REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

**4. DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

**5. AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

**6. REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

**7a. TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

**7b. NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

**8a. CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

**8b, 8c, & 8d. PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

**9a. ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

**9b. OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

**10. AVAILABILITY LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

**11. SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

**12. SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (funding for) the research and development. Include address.

**13. ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TSA), (SI), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

**14. KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.

**UNCLASSIFIED**  
Security Classification